IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Serial No.: 10/743,797 Group Art Unit: 3744

RECEIVED

Inventors: Prosser et al.

Filed: December 24, 2003

CENTRAL FAX CENTER

Title: CRYOGENIC AIR SEPARATION

Examiner: M. Jones

JUN 22 2006

SYSTEM FOR PRODUCING

FROM-Praxair, Inc.

ELEVATED PRESSURE NITROGEN

PETITION FOR EXTENSION OF TIME AND ACCOMPANYING FEES

Via Fax - (571) 273-8300 Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

(B)

Extension of Time and Requisite Fee: (A)

The undersigned Attorney respectfully petitions the Hon. Commissioner of Patents and Trademarks to extend the time for taking action in the above-identified application for a period of time indicated in the box below.

(1)	Original Period for Response was Set to Expire on:		
	6/15/06		
	(Month/Day/Year)		
(2)	Statutory Period Expires	9/15/06	
		(Month/Day/Year)	

Extension now requested (NOT TO EXCEED STATUTORY PERIOD) is for the following period of time from date (1) above: Fee

\boxtimes	One Month	\$ 120.00
	Two Months	\$ 450.00
	Three Months	\$ 1020.00
	Four Months	\$1,590.00
	Credit is requested for prior extension fees paid	\$
	Additional Fee for Response filed herewith:	
	☐ Amendment (additional claims)	
	☐ Notice of Appeal ☐ Appeal Brief	\$500.00

Total Fee for this Petition and any Response filed herewith: (C)

10743797

Declaration

The total fee, in the amount of \$120.00, is to be charged to Deposit Account No. 16-2440.

Please charge any additional fee which may be required for this Petition and/or Response, or credit any overpayment, to Deposit Account No. 16-2440. A duplicate copy of this paper is enclosed for the convenience of the Finance Branch.

Praxair, Inc.

Danbury, Connecticut 06810-5113

Dated: June 22, 2006

Our Ref.: D-21388

Telephone No.: (203) 837-2116

Respectfully submitted

\$130.00

David M. Rosenblam Attorney for Applicants Reg. No. 29,341

PAGE 2/6* RCVD AT 6/22/2006 12:55:28 PM [Eastern Daylight Time] * SVR:USPTO-EFXRF-5/22* DNIS:2738300 * CSID:+2038372515 * DURATION (mm-ss):01-48